

Class-based model

- Have classes that describe the format of objects
- Create objects by stating the class of the object to be created.
- The created object is called an instance of the class

Class-based model

- In a class based model, the class is sometimes an object too (as is the case in Python)
- Q: what is the class of the class object?

Class-based model

- In a class based model, the class is sometimes an object too (as is the case in Python)
- Q: what is the class of the class object?
 - The “meta-class”? But then do we have a meta-meta-class?
 - many possibilities, but no clear answer
 - turns out to be a nasty problem!

What's the alternative?



- Suppose we didn't have classes
- How would one survive?

Prototype-based models

- Just have objects
 - Create a new object by cloning another one
 - Add/update fields later
- Benefits:
 - Simplifies the definition of the language
 - Avoids meta-class problem
- Drawbacks:
 - Don't have classes for static typing
 - Some find the model harder to grock
- Python has hints of a prototype-based language.
Go back to code

Methods

Methods



Structural, nominal subtyping

```
class Point:  
    x = 0  
    y = 0  
    def move(self,dx,dy):  
        self.x = self.x + dx  
        self.y = self.y + dy
```

```
p = Point()
```

```
class Point2:  
    x = 0  
    y = 0  
    def move(self,dx,dy):  
        self.x = self.x + dx  
        self.y = self.y + dy
```

```
q = Point2()
```

- p and q of the same type?
 - In Java, no: nominal subtyping (using names of classes to determine subtyping)
 - In Python, yes: structural subtyping (using fields/methods to determine subtyping)

Next: constructors

- Go back to code

Inheritance

- Key concept of OO languages
- Someone tell me what inheritance is?

Inheritance

- Key concept of OO languages
- Someone tell me what inheritance is?
- isa “concept”
- Examples?

Examples of inheritance

Overriding

- Super-class method can be overwritten in sub-class
- Polymorphism
 - external clients can write code that handles many different kinds of objects in the same way
 - don't care about implementation details: as long as the object knows to draw itself, that's good enough

Polymorphism, continued

- Super-class can have methods that are not overridden, but that work differently for different sub-classes
- For example: super-class method functionality changes because the super-class calls a method that gets overwritten in the sub-class

Simple example

```
class Shape:  
    def draw(self, screen):  
        # some python code here  
    def erase(self, screen):  
        screen.setcolor("white")  
        self.draw(screen)  
        screen.setcolor("black")
```

```
class Rec(Shape):  
    def draw(self, screen):  
        # some python code here
```

```
class Oval(Shape):  
    def draw(self, screen):  
        # some python code here
```

Stepping away from Python

- What are the fundamental issues with inheritance?

Stepping away from Python

- What are the fundamental issues with inheritance?
- Dispatch mechanism
 - most compilers use v-tables
 - more complicated with multi-methods
- Overloading vs. overriding
 - what's the difference?
- How to decide on the inheritance graph?
 - not always obvious, see next example

Rectangle and Square

```
class Rectangle:  
    length = 0  
    width = 0  
    def area(this):  
        return this.length *  
            this.width
```

```
class Square:  
    length = 0  
    def area(this):  
        return this.length *  
            this.length
```

- Which should be a sub-class of which?

Rectangle and Square

```
class Rectangle:  
    length = 0  
    width = 0  
    def area(this):  
        return this.length *  
            this.width
```

```
class Square:  
    length = 0  
    def area(this):  
        return this.length *  
            this.length
```

- Which should be a sub-class of which?
- Answer is not clear...

Option 1: Rectangle isa Square


```
class Square:  
    length = 0  
    def area(this):  
        return this.length *  
            this.length
```



```
class Rectangle(Square):  
    width = 0  
    def area(this):  
        return this.length *  
            this.width
```

Option 1: Rectangle isa Square

```
class Square:  
    length = 0  
    def area(this):  
        return this.length *  
            this.length
```




```
class Rectangle(Square):  
    width = 0  
    def area(this):  
        return this.length *  
            this.width
```

- + Store only what is needed (one field for square)
- Does not follow “isa” relationship from math (rectangle is not a square...)
- Have to override area method

Option 2: Square isa Recangle

```
class Rectangle:  
    length = 0  
    width = 0  
    def area(this):  
        return this.length *  
            this.width
```



```
class Square(Rectangle):  
    __init__(self, len):  
        self.length = len  
        self.width = len
```

Option 2: Square isa Recangle

```
class Rectangle:  
    length = 0  
    width = 0  
    def area(this):  
        return this.length *  
            this.width
```



```
class Square(Rectangle):  
    __init__(self, len):  
        self.length = len  
        self.width = len
```

- + Follows isa relationship from math
- + Don't need to write two area methods
- Can't enforce invariant that length=width
- Use two fields for Square (len and width)

But, does it matter? Performance is a tricky matter. Often better to implement first, then use profiler to find where bottlenecks are...

Option 3:

```
class Shape:
```

```
...
```

```
class Rectangle(Shape):
```

```
    length = 0
```

```
    width = 0
```

```
    def area(this):
```

```
        return this.length *  
               this.width
```


```
class Square(Shape):
```

```
    length = 0
```

```
    def area(this):
```

```
        return this.length *  
               this.length
```

Option 3:



- + Store only what is needed (one field for square)
- Does not follow “isa” relationship from math (rectangle is not a square...)
- Have to write two area methods

Complex numbers

```
class Real:  
    RealPart = 0
```

```
class Complex:  
    RealPart = 0  
    ComplexPart = 0
```

The same exact options
present themselves here,
with the same tradeoffs!

Summary of (single) inheritance

- Inheritance is a powerful mechanism
- From the programmer's perspective, difficulty is in defining the inheritance diagram
- From a language implementer's perspective, difficulty is in making dynamic dispatch work

Multiple inheritance

```
class ColorTextBox(ColorBox, TextPoint):
    def draw(self, screen, pos):
        ColorBox.draw(self, screen, pos)
        r=TextPoint.draw(self, screen, pos)
        return r
    def __str__(self):
        return ColorBox.__str__(self) + " text: " + str(self.text)
```

What are the issues?

- Inheritance tree becomes a DAG
- What's the problem?

What are the issues?

- Issue 1: fields/methods with the same name inherited from two different places
- Issue 2: diamond problem, same exact field inherited by two different paths

What are the issues?


- Because of these issues, Java does not allow multiple inheritance
- Java does allow multiple inheritance of interfaces. How is that different from general multiple inheritance?

How Python solves these issues

- When you say: `class C(C1, C2, ...)`
- For any attribute not defined in `C`, Python first looks up in `C1`, and parents of `C1`
- If it doesn't find it there, it looks in `C2` and parents of `C2`
- And so on...
- What kind of search is this?

How Python solves these issues

How Python solves these issues



Does this solve the two issues?

- Issue 1: fields/methods with the same name inherited from two different places
 - Solved because we give leftmost parent priority
- Issue 2: diamond problem, same exact field inherited by two different paths
 - Solved because there is only one copy

Python's solutions

- For certain methods, may want one parent, whereas for other methods, may want another. Can always overwrite method and redirect to the right parent
- What about BFS?

Next up decorators

- See code